

JAY-DEE MATERNALS

Est. 1994

FOR SELF REPLACING FLOCKS

Auction Wednesday 21st October 2015

ON PROPERTY 'MOOLYELLA' BINNUM S.A.

Sale 1:00 pm (SA Time)

130 FLOCK RAMS 130



Catalogue available at www.rams4ewe.com.au

EXTRA LAMBS + EXTRA MUSCLE
EXTRA MILK + EXTRA FERTILITY + EXTRA GROWTH
= MORE PROFIT

JOHN & JOSH DOWDY Phone (08) 8764 2065

0428 642 065 0407 642 565

jdowdy@rams4ewe.com.au

AGENTS:

Landmark Naracoorte: Richard Jennings 0428 616 554
SA Livestock Naracoorte: Ali Haynes 0409 868 387

4% REBATE TO OUTSIDE AGENTS



MN3-V 10 POINTS

JAY-DEE MATERNALS

Welcome to our 7th.annual Maternal Composite sale. The sale is being held on property at Binnum again where we are best able to maintain our high level of health status for both your and our protection. 'Moolyella' is the Dowdy family farm at 38 Moolyella Road, Binnum right on the SA/Victorian border and provides a central point for both South Australian and Victorian clients. Ram production has been a major part of our business since 1988.

Our cross-breeding experimentations started in 1994 and Jay-Dee Maternals are trialled and used in our own commercial flock and feedlot. Our ewes are all mated as lambs to test their fecundity and fertility.

The Jay-Dee Maternals breed blend delivers a hardy, good doing sheep with good carcass, early growth, high fertility and good mothering traits. We supply high performance balanced genetics for you to breed on from the ewe portion of your flock, producing more and better lambs.

Although we have been recording and scanning our composite flock for 20 years we have only comparatively recently joined LAMBPLAN. We also regularly introduce sires from other flocks untested by Lambplan to bring in new genetics. It takes some time for enough data to be collected on these sires' progeny to reflect their true worth in the Lambplan breeding values. The progeny of these rams will in the meantime have lower indexes.

All the rams are run as one mob so any visual size differences may be due to inherited genes, rearing type or date of birth. The rams offered are all spring 2014 drop. The maternal index gives a general indication of genetic worth but the individual breeding values indicate the genetic potential in areas where you may wish to improve your flock. If anyone would like assistance with ram selections or help with the direction of their breeding program please don't hesitate to ask John or Josh.

The rams are catalogued in groups selected for their common sire line. They will be offered in pairs with the right to buy one or both rams.

You are welcome to join us for a lunch before the sale.

If you would like any more information please contact John or Josh.

We have done our best to present an accurate catalogue at the time of printing, however we do not accept any liability for any errors that may have occurred.



CATALOGUE INFORMATION AND AUSTRALIAN SHEEP BREEDING VALUES (ASBVS) EXPLAINED

LOT: The order of sale. The rams are grouped together by their sire's breeding

ID: Ear tag identification number. The colour of the tag denotes the sire line.

BREED COMPOSITION %: There is some variation in breed % among the rams offered to meet different clients' needs. The % has been rounded to the closest whole decimal which may result in a slight variance to the total % EAST FRIESIAN/ FINNSHEEP/TEXEL/BORDER LEICESTER/ 'KELSO (NZ maternal composite breed) /COOPWORTH/DORSET/WHITE SUFFOLK are included.

SIRE ID: Sire of each ram. You may wish to select rams bred from the same sire for a more even drop of lambs.

DOB: Date of birth in 2014

BT: Birth type shows the number of lambs born to the dam.

BWT: (Birth Weight) Our lambs are weighed and tagged at birth. Lambs too small have low survivability, too large cause dystocia & lambing issues.

MWWT: (Maternal Weaning Weight in kg) This estimates the dam's milk production and mothering ability at 100 days (weaning).

WWT: (Weaning Weight in kg) Estimates the genetic difference in growth at 100 days. The rams were all weighed at weaning.

PWWT: (Post Weaning Weight in kg) Estimates the genetic difference in growth at 225 days. They were all weighed at post wean age.

YWT: (Yearling weight) Estimates the genetic difference in growth at yearling age.

PFAT: (Post Weaning Fat depth in mm) Estimates the genetic difference in GR fat depth at 45 kg live weight. All the rams were scanned at post weaning.

PEMD: (Post Weaning Eye Muscle Depth in mm) Estimates the genetic difference in eye muscle at the C site at 45 kg. A positive ASBV means a genetically thicker-muscled animal.

YGFW: (Yearling greasy fleece weight) generated from the different weights when fleeces were weighed at shearing in August and correlated fleece information.

PSC: (Post Weaning Scrotal Circumference) Measured when scanned at post weaning. Estimates the genetic difference between rams at 225 days. It is expected that ram with higher scrotal circumference at an early age will, on average, sire daughters that are more fertile at a younger age.

NLW: (Number of Lambs Weaned expressed as %). An indication of fertility. Estimates the genetic difference between animals for the number of lambs likely to be weaned each lambing. (Generated from pedigree/progeny records.)

INDEX: The index shown is the **Maternal Dollar Index** as this has replaced both the Border and Coopworth Indexes .

LE DIR: Lambing Ease Direct describes how easily a sire's lambs will be born

LE DTR : Lambing Ease Daughters describes how easily a sire's daughters will have lambs

acc: accuracies for each trait. Despite intensive and accurate data collection, young animals will only achieve high degrees of accuracy after they have had progeny tested and recorded in Lambplan.

HEALTH STATUS

Drenching : The rams have been drenched recently with Cydectin, however it is recommended that any stock introduced to your property are drenched upon arrival.

Vaccinations : All rams are fully vaccinated with 6 in 1, Eryvac and Scabby Mouth vaccines.

Ovine Johne's Disease : MN3 V status / ABC 10 points. Gudair vaccination commenced in 2006.

Ovine Brucellosis : accredited no. 373

Although the property is free of lice, the rams were dipped with Coopers Blowfly & Lice treatment after shearing in August as a precaution.

Trait	Maternal \$ Index	
	Relative Emphasis	Gain over 10 years
BWT (kg)	11%	0.2
WWT (kg)	23%	2.7
MWWT (kg)	5%	0.4
PWT (kg)	25%	4.0
PFAT (mm)	4%	0.1
PEMD (mm)	5%	0.3
NLW (%)	16%	10
PWEC (%)	8%	-24
YGFW (%)	3%	0

This table details the emphasis put on the different traits making up the Maternal Index. Most weight is given to the growth breeding values (WWT & PWWT) and fertility (NLW)

2014																										LE			LE			MATERNAL						
LOT	ID	SIRE	EF	FINN	TEX	BL	KEL	CP	DST	WS	DOB	BT	BWT	acc	MWWT	acc	WWT	acc	PWWT	acc	YWT	acc	PFAT	acc	PEMD	acc	YGFW	acc	PSC	acc	NLW	acc	DIR	acc	DAU	acc	INDEX	acc
1	W206	W189	27	20	29	14		6	2	3	1-Aug	2	0.5	59	0.2	43	6.1	69	10.2	70	9.8	71	-0.6	68	0.2	65	0.7	68	3.4	72	17.3%	33	-0.8	35	-1.3	30	131.2	46
2	W167	W025	21	18	25	25		6	2	3	15-Aug	2	0.6	60	-0.2	40	6.7	68	11.0	68	10.7	69	-1.1	64	-0.3	61	4.2	65	2.6	69	9.1%	32	-2.3	36	-2.9	30	124.8	44
3	W226	W162	13	13	44	31					10-Sep	1	0.4	52	0.4	40	4.8	57	7.6	56			0.4	55	1.4	53	3.2	51	1.8	54	8.5%	30					124.3	45
4	W402	W189	25	15	29	17	3	6	2	3	7-Aug	2	0.6	62	1.2	42	6.8	70	9.0	71	8.8	72	-1.3	68	0.1	65	7.9	69	2.8	72	10.9%	35	-2.7	37	-4.4	32	127.0	47
5	W078	W025	24	19	19	28		6	2	3	28-Jul	3	0.6	58	0.1	44	6.6	68	9.7	68	9.7	68	-1.3	64	0.2	61	-0.8	64	2.8	69	10.7%	34	-2.1	35	-1.3	30	125.5	45
6	W373	W025	24	22	19	25		6	2	3	19-Aug	2	0.6	61	0.1	42	5.8	68	9.6	68	9.1	69	-1.3	64	-0.3	61	9.1	65	1.8	69	10.6%	32	-2.4	36	-2.7	31	124.2	44
7	W101	W189	27	14	32	17		6	2	3	8-Aug	3	0.5	55	0.3	36	6.3	64	9.6	65	9.4	67	-0.5	62	0.7	50	6.4	65	3.5	57	11.2%	28	-1.5	30	-0.9	23	127.4	40
8	W396	W189	24	17	32	17		6	2	3	6-Aug	1	0.5	62	0.6	43	6.5	69	8.7	70	8.7	71	-1.2	67	1.3	64	1.0	68	2.9	72	7.1%	34	-1.6	35	-1.4	32	125.0	46
9	W265	W189	24	22	19	25		6	2	3	15-Aug	1	0.5	52			6.7	64	8.5	65	7.9	66	-1.1	62	0.5	58	7.2	65	2.9	68	5.0%	27					121.7	40
10	W379	W189	21	17	38	15		6	2	3	5-Aug	2	0.5	60	-0.1	46	5.7	70	8.0	70	6.4	71	-0.8	67	1.0	65	-7.1	68	2.1	71	8.4%	36	-1.0	37	-0.3	34	122.5	48
11	W172	W025	21	18	22	25	3	6	2	3	17-Aug	1	0.5	60	0.4	39	6.4	68	8.5	68	7.9	68	-1.0	64	0.0	61	6.8	65	3.3	69	5.3%	31	-3.5	35	-2.5	28	120.2	44
12	W193	W025	22	18	25	22	3	6	2	3	23-Jul	1	0.5	59	0.2	43	5.0	69	7.4	69	6.7	69	-0.7	65	0.0	62	-3.2	66	2.3	70	4.7%	32	-1.7	35	-2.4	29	116.8	45
13	W158	W025	24	19	20	28		6	2	3	13-Aug	1	0.7	60	0.3	42	5.7	68	8.2	68	8.8	69	-1.4	65	0.1	61	8.3	65	1.1	69	7.0%	35	-3.5	36	-3.1	32	120.6	46
14	W189	W025	21	19	25	25		6	2	3	22-Jul	2	0.4	61	0.1	42	5.7	68	9.4	69	8.8	69	-0.4	65	0.0	62	4.5	66	2.4	70	10.1%	33	-1.4	36	-1.8	31	124.1	45
15	W083	W025	24	19	20	28		6	2	3	30-Jul	2	0.5	60	0.1	45	5.9	68	9.1	69	8.4	69	-1.2	64	-0.1	61	10.4	65	2.5	70	8.4%	34	-1.7	36	-1.9	33	122.5	46
16	W131	W025	24	13	26	28		6	2	3	11-Aug	1	0.7	59	-0.5	40	6.1	68	8.8	68	8.8	69	-1.5	63	0.2	60	-3.4	64	2.2	69	4.2%	32	-2.5	34	-2.9	30	118.2	44
17	W088	W025	21	19	26	25		6	2	3	30-Jul	1	0.5	51			6.4	63	8.9	63	8.7	64	-0.9	58	0.2	54	8.4	61	2.5	66	1.7%	28	-1.7	29	-1.4	22	118.3	40
18	W090	W189	26	16	29	17	3	6	2	3	31-Jul	2	0.6	58	1.4	38	6.9	58	8.9	58	8.4	58	-1.1	54	0.4	53	-1.0	52	3.0	54	8.4%	30	-3.8	35	-5.0	29	125.8	39
19	W418	W189	21	17	28	14		6	2	3	8-Aug	2	0.6	63	0.1	49	5.8	71	8.7	71	8.3	72	-0.5	68	0.9	66	-5.2	69	3.1	73	9.9%	36	-0.5	38	-0.1	36	124.7	48
20	W164	W189	18	17	32	24		6	2	3	14-Aug	1	0.5	59	0.4	38	6.1	69	8.9	69	8.7	71	-0.9	66	1.3	63	-1.8	67	2.9	71	7.5%	32	-1.5	34	-1.6	28	124.9	45
21	W181	W189	27	11	32	20		6	2	3	18-Jul	2	0.5	62	-0.2	44	5.8	69	8.6	70	7.3	71	-1.4	67	0.7	64	18.7	68	2.5	71	6.5%	33	-0.7	36	-1.6	32	122.1	46
22	W215	W189	27	17	25	20		6	2	3	2-Aug	2	0.5	62	0.4	43	5.6	69	8.6	70	8.3	71	-0.7	67	0.7	64	-1.9	68	3.3	72	8.3%	33	-1.6	35	-3.2	32	123.5	46
23	W092	W189	24	17	32	17		6	2	3	31-Jul	2	0.5	62	0.2	42	5.7	69	9.3	70	9.3	71	-0.7	69	0.2	66	-4.6	69	3.5	72	15.0%	35	-1.7	36	-2.3	31	127.8	47
24	W224	W025	24	19	19	28		6	2	3	3-Aug	2	0.7	65	-0.6	52	5.4	72	9.6	72	9.5	72	-1.2	67	-0.2	65	-1.1	69	1.6	73	6.7%	39	-0.3	42	0.0	39	119.7	50
25	W150	W025	22	17	16	32	3	6	2	3	12-Aug	2	0.6	57	-0.1	42	6.5	68	9.5	68	9.8	69	-0.9	63	-0.3	60	-8.5	65	2.9	69	7.4%	32	-2.4	34	-2.6	28	120.9	44
26	W089	W189	26	16	29	17	3	6	2	3	31-Jul	2	0.6	61	1.4	38	8.1	68	9.4	69	8.5	70	-1.4	66	0.2	63	-1.5	67	3.1	71	7.3%	32	-3.1	35	-4.6	29	125.6	45
27	W116	W189	27	17	26	20		6	2	3	9-Aug	1	0.6	59	0.2	37	5.3	68	8.4	69	8.2	70	-0.8	66	0.7	62	-2.9	67	2.6	70	5.6%	31	-1.5	33	-3.0	27	120.8	44
28	W149	W025	22	17	16	32	3	6	2	3	12-Aug	2	0.5	57	-0.1	42	4.9	68	7.8	68	7.8	69	-0.9	63	-0.1	60	-3.6	65	1.8	69	6.0%	32	-2.4	34	-2.6	28	117.2	44
29	W098	W025	24	19	26	22		6	2	3	1-Aug	2	0.5	60	0.0	41	6.0	68	9.1	68	8.7	69	-0.8	64	0.0	61	-1.2	65	2.4	69	12.6%	32	-2.0	36	-3.1	31	125.4	44
30	W354	W025	24	19	19	28		6	2	3	15-Aug	2	0.5	57	0.0	43	4.5	68	7.1	68	6.3	69	-1.0	65	0.4	63	4.4	65	1.6	69	7.1%	35	-2.4	35	-2.0	31	118.7	46
31	W186	W189	18	17	32	23		6	2	3	28-Jul	1	0.4	62	0.0	38	5.6	69	8.5	69	8.5	71	-0.7	66	1.5	63	0.8	68	2.1	71	5.3%	32	-0.3	35	-0.3	29	122.5	45
32	W204	W025	24	19	20	28		6	2	3	1-Aug	2	0.6	60	-0.5	43	5.4	68	8.7	68	8.2	69	-1.3	64	-0.5	61	10.1	66	2.2	69	6.5%	31	-1.5	35	-3.1	31	118.4	44
33	W423	W189	27	19	27	17		6	2	3	8-Aug	3	0.4	62	0.3	44	5.8	69	8.9	70	8.6	71	-0.9	67	-0.3	64	4.9	68	2.4	71	17.6%	33	-0.6	36	-1.5	32	128.6	46
34	W165	W025	24	19	19	29		6	2	3	15-Aug	1	0.6	59	-0.8	40	5.3	67	9.3	67	9.3	68	-0.3	63	0.3	60	1.5	64	2.7	69	6.6%	31	-2.5	34	-3.0	30	120.3	43

2014																								LE				LE				MATERNAL						
LOT	ID	SIRE	EF	FINN	TEX	BL	KEL	CP	DST	WS	DOB	BT	BWT	acc	MWWT	acc	WWT	acc	PWWT	acc	YWT	acc	PFAT	acc	PEMD	acc	YGFW	acc	PSC	acc	NLW	acc	DIR	acc	DAU	acc	INDEX	acc
35	Y833	B186	6	25	38	31					12-Aug	1	0.6	63	-0.2	44	7.5	69	9.7	70	10.1	71	-0.8	67	1.4	64	-9.5	68	2.4	71	5.6%	36	-1.5	37	-1.7	34	124.6	47
36	Y738	B186	6	25	38	31					30-Jul	2	0.5	61	-0.5	48	6.8	70	9.7	71	9.8	71	-0.4	68	1.5	65	3.4	69	2.5	72	6.6%	36	-0.3	38	0.0	35	124.9	48
37	Y794	B186	6	25	38	31					7-Aug	1	0.5	62	-0.2	47	6.3	69	8.5	68	8.0	70	-1.0	56	1.4	55	-8.0	52	2.2	60	3.0%	34	-0.6	39	-0.5	36	120.2	46
38	Y802	B186	31	25	13	31					8-Aug	1	0.4	62	0.0	42	6.0	69	8.6	70	8.1	71	-1.4	67	0.1	64	8.8	68	3.1	71	5.4%	34	-0.8	36	-0.8	32	119.6	46
39	Y715	B186	20	28	26	16		6	2	3	25-Jul	2	0.4	60	-0.9	48	4.9	69	7.0	68	6.3	68	-0.9	64	1.1	61	-8.2	63	1.5	67	8.4%	34	-2.4	39	-1.7	35	119.1	46
40	Y756	B186	6	25	38	31					1-Aug	2	0.5	60	-0.6	48	6.1	70	9.1	71	8.9	71	-0.8	68	1.1	57	-12.4	69	2.9	72	8.0%	36	-0.5	38	-0.1	35	123.2	47
41	Y734	B186	6	25	38	31					30-Jul	2	0.4	60	-0.4	48	5.1	69	7.4	68	7.1	68	-0.8	64	1.4	61	-8.5	62	2.5	67	5.3%	34	0.3	38	-0.9	36	119.6	46
42	Y785	B186	6	25	38	31					6-Aug	1	0.4	59	-0.8	44	4.9	69	7.8	70	7.9	71	0.0	68	1.8	65	-8.8	68	2.5	72	6.7%	36	0.0	37	-0.4	33	121.2	47
43	Y708	B186	19	25	38	19					24-Jul	1	0.3	63	-1.3	48	4.7	70	6.8	71	5.7	72	-0.8	69	1.1	66	-17.6	69	2.4	73	6.7%	37	-0.9	39	-0.8	38	116.6	49
44	Y769	B186	20	27	26	18		6	2	3	3-Aug	2	0.5	63	-0.3	45	5.7	69	8.4	70	8.1	71	-1.4	68	1.5	66	-7.9	68	2.0	72	6.7%	35	-2.3	38	-2.6	34	122.5	47
45	Y777	B186	6	25	38	31					4-Aug	2	0.5	63	-0.6	48	5.3	69	7.6	70	7.7	71	-0.6	68	1.0	65	-1.7	69	1.7	72	3.9%	36	-0.9	38	-0.9	36	117.7	48
46	Y771	B186	17	29	20	16		11	3	5	3-Aug	2	0.2	59	-0.6	48	5.8	66	8.3	69	7.4		-0.8	69	1.8	66	-2.5	52	3.9	73	11.3%	27				125.5	43	
47	Y809	B186	6	25	38	31					9-Aug	1	0.5	62	-0.6	44	5.9	69	8.8	69	9.3	70	-0.5	66	1.7	64	-12.9	68	2.4	71	5.4%	36	-1.0	37	-0.7	34	122.0	47
48	Y788	B186	6	25	38	31					6-Aug	2	0.4	62	-0.6	48	4.9	69	7.2	70	7.0	71	-0.1	68	1.8	66	-5.5	53	1.8	61	5.7%	34	-0.5	39	-0.1	36	120.1	47
49	Y821	B186	6	25	38	31					10-Aug	2	0.5	63	-0.3	47	5.8	69	8.0	70	7.3	71	-0.6	68	1.9	65	-2.3	68	2.4	71	6.0%	36	-1.2	38	-1.4	36	122.8	47
50	Y808	B186	6	25	38	31					9-Aug	1	0.6	63	-0.3	45	6.3	69	7.8	70	7.7	71	-1.1	68	1.3	65	-10.4	68	1.9	71	3.3%	36	-1.9	37	-1.4	35	118.8	47
51	Y789	B186	6	25	38	31					6-Aug	2	0.4	61	-0.6	48	5.0	60	7.1	60	6.5	59	-0.6	57	1.8	55	-5.3	53	1.6	56	5.1%	33	-0.6	39	-0.1	36	119.4	42
52	Y840	B186	6	25	38	31					13-Aug	2	0.4	63	0.0	47	6.0	69	8.3	70	8.1	71	-0.7	68	1.7	65	-3.5	69	2.6	72	2.9%	36	-0.5	38	-1.0	36	121.1	47
53	Y765	B186	6	25	38	31					3-Aug	1	0.3	62	0.3	47	4.9	69	6.9	70	6.3	71	-0.7	68	1.9	65	-6.4	67	2.7	72	4.4%	34	-0.4	36	-1.0	32	120.7	46
54	Y798	B186	6	25	38	31					7-Aug	2	0.5	59	-0.1	47	6.5	69	9.6	70	9.7	71	-0.3	56	1.5	54	-10.0	68	2.7	61	5.7%	34	-0.5	37	-1.3	34	124.2	46
55	Y819	B186	25	25	31	19					10-Aug	2	0.4	62	-0.7	45	5.6	69	8.3	70	7.3	71	-1.2	67	0.5	64	-5.7	68	2.5	71	9.4%	34	-0.5	37	-0.9	34	121.3	46
56	Y823	B186	17	25	26	13		11	3	5	10-Aug	2	0.4	62	-0.4	49	5.7	70	8.0	71	7.4	71	-0.8	68	1.0	66	-7.6	53	2.8	72	9.8%	36	-1.3	39	-0.8	36	122.7	48
57	P609	B186	6	25	38	31					18-Aug	1	0.5	59	-0.5	45	6.0	69	8.3	70	7.9	70	-0.7	68	1.5	65	-8.4	68	2.7	71	6.9%	36	-0.6	37	-0.8	34	122.4	47
58	Y724	B186	6	25	38	31					27-Jul	2	0.4	62	-0.8	48	5.1	69	7.3	70	6.8	71	-0.5	67	1.5	65	-2.3	68	2.2	61	4.9%	34	-0.3	38	-0.1	35	118.7	47
59	Y827	B186	6	25	38	31					11-Aug	2	0.5	63	-0.3	47	5.9	69	7.7	70	8.0	71	-1.0	68	0.8	65	-8.9	69	1.7	72	4.8%	36	-0.4	38	-0.9	36	118.5	47
60	Y781	B186	6	25	38	31					.	1	0.4	62	-0.2	47	5.8	69	7.4	70	6.4	71	-0.8	68	1.5	65	-1.8	68	2.1	72	3.3%	36	-0.2	37	-0.3	34	119.2	47
61	Y750	B186	25	31	31	13					31-Jul	2	0.3	58	-0.9	46	5.2	68	6.9	69	5.0	71	-1.0	66	1.0	63	-10.3	68	2.5	71	8.3%	35	-0.5	35	0.2	32	118.8	47
62	Y712	B186	18	28	26	12	6	6	2	3	25-Jul	2	0.4	60	-0.8	46	5.5	70	8.1	70	6.9	71	-1.1	68	1.1	66	-6.2	68	2.4	72	9.6%	35	-1.4	38	-1.3	34	122.3	47
63	Y822	B186	17	25	26	13		11	3	5	10-Aug	2	0.3	63	-0.4	49	5.2	70	7.1	71	6.1	71	-0.6	68	1.6	66	-8.6	69	2.5	72	9.2%	36	-1.5	39	-0.9	36	122.2	48
64	Y772	B186	6	25	38	31					9-Aug	2	0.4	61	-0.9	46	5.1	60	6.9	59	6.8	58	-0.4	56	1.6	54	-7.3	52	1.8	55	4.9%	34	-0.3	38	0.5	35	118.0	42
65	Y760	B186	17	25	26	13		11	3	5	1-Aug	2	0.3	61	-0.8	48	5.3	70	7.6	71	7.0	71	-1.3	68	1.3	65	-3.9	68	2.0	72	9.8%	36	-0.5	39	-0.6	36	122.1	48
66	Y778	B186	6	25	38	31					4-Aug	2	0.5	63	-0.6	48	5.1	69	7.0	70	6.8	71	-0.7	68	1.2	65	-8.9	69	1.8	72	3.8%	36	-0.9	38	-0.9	36	116.8	48
67	P526	Y507	18	20	36	16		6	2	3	29-Jul	1	0.5	62	-0.6	43	6.9	67	10.3	69	9.1	70	-0.9	67	0.5	64	4.3	68	3.4	71	10.2%	33	-1.3	37	-1.3	32	125.9	45
68	P546	Y507	20	23	34	19	4				1-Aug	1	0.6	62	-0.3	43	7.6	67	10.0	69	9.9	69	-1.9	67	-0.7	64	2.1	67	3.1	71	9.8%	33	-0.7	37	-0.5	32	123.1	45

			2014																LE		LE		MATERNAL															
LOT	ID	SIRE	EF	FINN	TEX	BL	KEL	CP	DST	WS	DOB	BT	BWT	acc	MWWT	acc	WWT	acc	PWWT	acc	YWT	acc	PFAT	acc	PEMD	acc	YGFW	acc	PSC	acc	NLW	acc	DIR	acc	DAU	acc	INDEX	acc
69	P468	Y507	16	23	33	14	3	6	2	3	16-Aug	1	0.4	57	0.0	39	7.1	63	10.0	67	9.7	69	-1.4	65	0.4	62	-0.9	66	3.5	56	10.9%	30	-0.5	36	-1.1	30	126.8	43
70	P541	Y507	18	19	38	16		6	2	3	31-Jul	1	0.5	61	-0.5	43	7.1	67	10.2	69	10.2	70	-0.9	67	0.6	64	1.6	68	3.0	71	10.8%	33	-0.9	38	-0.9	32	126.3	45
71	P451	Y507	21	19	32	19		6	2	3	13-Aug	2	0.6	59	-0.1	42	6.8	67	10.6	68	10.5	70	-1.4	66	0.0	63	2.1	67	2.6	70	12.9%	34	-0.9	36	-1.5	30	127.8	45
72	P610	Y507	21	20	37	19	3				19-Aug	1	0.5	59	0.1	42	6.7	67	9.5	68	9.4	70	-1.3	66	-0.3	63	-4.5	67	3.1	70	11.5%	34	-0.8	36	-1.3	31	124.7	45
73	P616	Y507	20	23	34	19	4				20-Aug	1	0.5	59	0.5	43	7.3	67	10.2	67	10.1	67	-1.4	64	-0.6	61	2.0	64	3.5	67	10.1%	32	-0.2	36	-0.9	31	125.2	44
74	P621	Y507	18	19	38	16		6	2	3	30-Jul	1	0.4	52			6.4	62	8.6	63	7.6	65	-1.1	61	0.4	57	4.5	64	3.0	67	6.1%	26				121.3	39	
75	P536	Y507	23	19	32	19		4	1	2	30-Jul	1	0.5	60	0.0	41	6.6	67	9.3	68	8.5	69	-0.7	66	0.5	63	4.4	67	2.8	70	10.2%	34	-1.1	37	-1.8	31	125.2	45
76	P473	Y507	18	19	38	16		5	2	2	16-Aug	2	0.5	60	-0.2	43	6.2	67	9.7	69	9.3	69	-0.8	67	0.6	64	-3.3	67	2.6	70	11.1%	33	-0.5	37	-1.4	32	126.0	45
77	P617	Y507	18	27	29	18		5	1	2	22-Aug	1	0.3	59	-0.2	38	5.1	67	8.0	68	7.8	69	-0.4	65	0.3	62	-3.2	66	2.8	70	12.3%	32	-0.2	34	-0.7	28	123.1	44
78	P543	Y507	31	19	31	19					1-Aug	1	0.4	61	-0.5	43	6.4	67	9.5	68	8.5	69	-0.6	66	0.1	63	8.6	67	3.4	71	11.8%	33	-0.5	37	-0.8	31	124.9	45
79	P662	Y507	28	19	32	22					22-Jul	2	0.4	59	0.5	46	4.9	68	6.8	69	5.9	70	-0.9	66	0.0	63	2.1	66	1.5	70	10.1%	35	-0.8	36	-1.5	33	120.5	47
80	P624	Y507	20	23	34	19	4				15-Aug	2	0.3	52			5.3	62	8.1	63	7.6	65	-0.5	61	0.2	57	10.9	64	2.7	67	6.8%	26				120.0	39	
81	P557	Y507	20	23	34	19	4				3-Aug	1	0.4	61	0.0	44	6.8	67	9.1	68	8.3	69	-1.2	65	-0.1	62	7.7	68	3.1	71	11.3%	33	0.1	36	-0.6	31	124.7	45
82	P596	Y507	20	23	34	19	4				9-Aug	2	0.5	61	0.3	44	6.6	67	9.0	69	8.3	69	-1.3	67	-0.5	64	-0.8	49	3.2	71	13.2%	33	-1.0	37	-2.0	32	125.1	46
83	P622	Y507	22	19	37	22					1-Aug	1	0.3	52			6.1	62	8.4	63	8.0	65	-0.6	61	0.2	57	-1.3	64	3.3	67	7.3%	26				120.4	39	
84	P482	Y507	28	19	31	22					15-Aug	2	0.4	50			6.1	56	8.9	61	9.0	62	-1.0	58	-0.3	55	10.3	61	2.6	65	6.4%	25				120.5	37	
85	P672	Y507	22	19	37	22					26-Jul	2	0.3	60	-0.3	45	5.3	67	7.6	69	6.9	69	-1.0	66	0.7	63	3.1	67	2.7	71	12.5%	35	-0.4	37	-0.6	33	124.0	46
86	P678	Y507	22	19	37	22					29-Jul	2	0.4	59	0.0	44	4.6	67	6.6	68	5.8	69	-0.7	66	0.4	63	8.1	67	1.4	70	9.8%	35	-0.6	36	-0.4	32	120.4	46
87	P602	Y507	28	19	31	26					17-Aug	2	0.5	58	0.0	42	5.9	66	8.2	68	7.4	68	-1.1	66	-0.3	63	4.7	66	2.2	70	6.3%	30	0.5	33	-1.0	29	118.9	43
88	P440	Y507	28	19	31	22					11-Aug	2	0.4	60	0.5	43	4.2	67	6.7	68	5.4	69	0.0	66	0.6	63	-0.3	66	2.4	70	11.0%	35	-1.2	36	-1.7	32	122.2	46
89	P528	Y507	20	19	25	26		6	2	3	30-Jul	2	0.4	61	0.4	43	6.0	67	8.2	68	6.7	69	-0.7	67	0.7	64	4.4	67	2.6	71	11.1%	33	-0.9	37	-2.1	31	125.1	45
80	P475	Y507	18	20	36	16		6	2	3	16-Aug	1	0.5	62	-0.5	42	6.2	67	9.5	69	8.8	70	-0.1	66	0.7	63	-3.5	67	2.6	71	8.8%	34	-0.4	37	-0.8	32	123.7	46
91	W143	Y507	22	22	37	19					12-Aug	3	0.4	60	0.0	42	5.4	67	7.7	68	7.1	68	-1.1	65	-0.4	62	-3.2	65	2.6	70	12.1%	33	-1.1	36	-1.0	31	121.4	45
92	P549	Y507	21	19	32	19		6	2	3	1-Aug	1	0.5	61	0.2	42	5.9	67	8.6	68	7.1	69	-0.8	66	0.6	63	6.1	67	2.3	70	10.1%	33	-1.1	37	-1.9	31	124.6	45
93	P683	Y507	18	19	38	17		6	2	3	29-Jul	2	0.4	61	-0.5	43	5.7	67	8.7	68	7.6	69	-0.6	66	0.5	63	-2.0	67	2.9	71	12.2%	33	-0.8	37	-1.0	32	124.2	45
94	P682	Y507	18	19	38	17		6	2	3	29-Jul	2	0.5	61	-0.5	43	6.3	67	9.5	68	8.9	69	-0.7	66	0.2	63	-3.4	67	2.9	71	12.3%	33	-0.8	37	-1.0	32	124.9	45
95	P567	Y507	19	20	31	16	3	6	2	3	5-Aug	2	0.4	60	0.2	42	6.4	67	9.5	68	9.3	69	-1.3	66	0.0	63	4.3	67	3.0	70	13.1%	33	-0.4	36	-1.2	31	126.8	45
96	P675	Y507	13	25	38	25					28-Jul	2	0.4	61	-0.6	39	6.6	67	9.9	68	9.9	69	-1.0	66	0.3	63	-5.6	67	2.9	70	10.9%	31	-0.7	35	-1.0	29	124.9	44
97	P540	Y507	22	19	31	16	13				31-Jul	2	0.4	62	-0.4	47	5.4	68	7.7	69	7.4	70	-1.2	67	-0.4	64	5.8	68	2.4	71	12.4%	36	0.1	39	-0.2	33	121.4	47
98	P619	Y507	28	19	31	26					15-Aug	2	0.3	52			6.0	62	8.1	63	6.9	65	-1.1	61	-0.2	57	5.9	64	3.2	67	6.5%	26				118.8	39	
99	P680	Y507	19	20	32	16	3	6	2	3	29-Jul	2	0.4	61	-0.5	42	5.9	67	9.4	68	9.0	70	-0.5	66	0.4	63	0.6	67	3.7	70	14.3%	33	-1.3	37	-2.1	31	127.1	45
100	P462	Y507	20	19	26	16		11	3	5	14-Aug	2	0.3	59	-0.2	44	6.1	67	9.0	69	7.9	69	-1.0	67	0.3	64	5.6	67	3.5	70	14.2%	34	-0.1	36	-0.4	33	126.8	46
101	P432	Y507	28	19	31	22					9-Aug	2	0.4	61	0.7	44	4.8	67	7.0	68	6.1	69	-1.1	66	0.0	63	3.9	67	1.9	70	8.6%	35	-0.8	36	-1.6	31	120.2	46
102	P531	Y507	28	19	31	22					30-Jul	1	0.4	54			5.9	61	8.6	60	7.9	60	-0.8	57	0.4	53	3.0	59	3.0	63	5.9%	27	-0.4	29	-0.8	22	120.6	38

2014																																							
LOT	ID	SIRE	EF	FINN	TEX	BL	KEL	CP	DST	WS	DOB	BT	BWT	2014										LE		LE		MATERNAL											
														acc	MWWT	acc	WWT	acc	PWWT	acc	YWT	acc	PFAT	acc	PEMD	acc	YGFW	acc	PSC	acc	NLW	acc	DIR	acc	DAU	acc	INDEX	acc	
103	P436	Y507	28	19	31	22					15-Aug	2	0.3	51		5.0	61	7.8	63	7.4	64	-0.7	61	0.2	57	3.4	65	2.1	67	5.6%	26					118.2	39		
104	P665	Y507	28	19	28	25					23-Jul	2	0.3	58	-0.3	42	5.0	66	7.5	68	6.5	69	-0.8	66	0.5	63	4.3	67	2.3	70	8.7%	31	-0.4	34	-1.0	27	120.6	44	
105	P447	Y507	19	20	32	16	3	6	2	3	12-Aug	1	0.4	60	-0.2	41	6.2	67	9.0	68	8.5	69	-1.1	66	-0.2	63	-5.9	67	3.6	70	12.0%	33	-0.5	36	-1.3	31	123.8	45	
106	P674	Y507	13	25	37	25					28-Jul	2	0.4	60	-0.6	39	6.8	63	10.3	67	10.2	68	-0.5	64	0.8	61	-4.4	65	3.3	68	11.3%	31	-0.5	35	-0.9	29	127.0	43	
107	P685	Y507	20	19	26	25		6	2	3	24-Jul	2	0.4	58	-0.5	42	5.6	67	8.4	68	7.9	69	-0.9	66	0.5	63	2.9	66	2.2	70	10.3%	32	-0.4	35	-0.8	29	122.6	44	
108	P454	Y507	22	25	31	22					13-Aug	2	0.4	59	-0.3	44	5.2	67	7.5	68	6.8	70	-1.0	66	0.0	63	3.5	67	2.5	70	12.1%	35	-0.6	37	-1.2	31	122.0	46	
109	R058	O602	40	3	38	10		6	2	3	8-Aug	2	0.6	57	-0.1	50	6.2	68	8.8	68	6.9	68	-1.0	65	0.8	63	4.7	51	2.5	69	5.0%	37	-0.6	36	-3.3	38	121.3	48	
110	R059	O602	40	3	38	10		6	2	3	8-Aug	2	0.5	57	-0.1	50	5.9	68	8.5	68	6.7	69	-0.9	65	0.7	63	1.6	64	2.8	69	5.8%	37	-0.6	36	-3.3	38	121.1	48	
111	R061	O602	35	6	41	15	3				8-Aug	2	0.6	57	0.2	50	5.4	68	7.8	68	6.4	68	-0.9	65	0.7	62	0.4	63	2.3	69	4.2%	37	-0.4	36	-2.8	38	119.5	47	
112	R052	O602	25	25	25	25					15-Aug	2	0.3	57	-0.2	55	3.8	67	6.2	67	4.8	67	-0.6	64	0.7	61	8.4	63	2.6	68	2.0%	38	-0.4	36	-2.4	40	114.3	48	
113	R053	O602	25	25	25	25					5-Aug	1	0.4	57	-1.2	55	2.7	67	5.9	66	5.4	66	-0.3	63	0.5	60	-0.4	61	1.8	66	7.1%	38	-0.1	35	-1.3	41	114.3	48	
114	W105	W189	23	10	33	14		11	3	5	9-Aug	2	0.5	61	-0.6	44	6.0	70	9.7	71	8.9	72	-0.2	69	1.0	66	-2.5	56	3.5	73	12.2%	35	-1.5	38	-1.3	32	126.9	48	
115	W403	W189	27	11	26	14	12	6	2	3	7-Aug	1	0.5	59	-0.3	43	5.0	69	7.4	69	6.4	70	-0.8	67	0.6	64	-2.1	67	2.5	71	5.0%	31	-0.4	34	-2.2	31	117.6	45	
116	W252	W	NO PEDIGREE - LOST TAG								1-Aug		0.3			5.4		7.6		8.2		-0.4		0.5		-1.4		2.9											32
117	W118	W025	24	19	19	29		6	2	3	9-Aug	1	0.5	58	-0.4	36	5.7	67	8.8	67	8.4	68	-0.9	62	0.7	59	6.0	63	2.3	68	2.3%	30	-1.7	32	-2.2	27	118.2	43	
118	W196	W189	27	11	26	14	12	6	2	3	27-Jul	1	0.5	61	0.1	42	6.0	69	8.4	69	7.3	70	-1.6	67	0.9	64	2.8	53	3.1	71	5.4%	31	-0.3	34	-1.7	30	121.6	45	
119	W177	W025	24	19	20	28		6	2	3	17-Jul	2	0.5	58	0.2	43	3.9	68	6.6	68	5.6	69	0.1	64	1.2	61	5.1	65	1.7	69	7.1%	35	-3.3	36	-3.3	32	120.2	46	
120	W408	W025	21	19	26	25		6	2	3	7-Aug	3	0.5	58	-0.3	42	4.9	68	9.0	68	8.6	69	-0.8	64	-0.1	61	4.9	65	1.9	69	11.7%	32	-2.0	36	-2.3	30	123.3	44	
121	W260	W025	21	19	26	25		6	2	3	15-Aug	2	0.5	51		6.1	63	9.1	63	8.9	64	-1.2	58	0.2	54	7.6	61	2.7	66	3.2%	25					119.2	38		
122	W161	W025	21	19	26	25		6	2	3	13-Aug	2	0.7	61	0.2	42	6.7	68	9.6	68	9.9	69	-1.0	64	-0.3	61	1.7	65	1.7	70	8.2%	32	-3.0	36	-3.9	31	122.7	44	
123	W360	W	20	16	24	20		11	3	5	15-Aug	1	0.3	45		4.7	60	7.2	62	6.7	63	-1.0	60	0.7	57	2.0	62	2.4	66	3.3%	26	-0.3	23	-0.1	22	115.6	38		
124	W102	W189	27	14	33	17		6	2	3	8-Aug	3	0.4	56	0.3	36	6.1	65	9.2	66	8.7	67	-0.6	62	0.4	59	5.7	65	3.6	69	10.8%	29	-0.5	30	-0.4	23	125.9	42	
125	W219	W189	27	17	32	14		6	2	3	2-Aug	2	0.4	62	0.5	44	5.5	69	8.6	70	7.7	71	-1.0	67	0.8	64	-1.8	68	2.4	71	15.3%	34	-0.5	36	-1.5	32	129.0	46	
126	W112	W025	21	22	22	25		6	2	2	9-Aug	1	0.5	60	-0.1	40	4.8	68	8.6	68	8.9	69	-1.1	64	-0.5	61	4.9	65	1.5	69	9.0%	32	-1.8	36	-2.7	29	120.1	44	
127	W253	W025	24	20	24	22		6	2	2	15-Aug	1	0.5	58	-0.2	40	5.8	68	9.2	68	8.4	69	-0.5	64	0.3	61	6.0	65	2.8	69	11.8%	32	-1.7	35	-2.3	29	125.4	44	
128	W404	W025	24	19	26	22		6	2	3	7-Aug	2	0.5	58	0.0	41	5.6	68	9.7	68	9.0	69	0.2	64	0.7	60	-5.3	65	2.5	69	12.6%	32	-2.1	35	-3.0	29	127.4	44	
129	W091	W189	33	17	32	18		6	2	3	31-Jul	2	0.6	62	0.2	42	7.3	69	10.2	70	9.9	71	-1.1	68	-0.1	65	-1.6	68	3.4	72	13.5%	34	-1.2	36	-2.0	31	128.0	46	
130	W387	W189	20	13	20	18		16	7	6	6-Aug	2	0.6	62	0.3	44	6.8	70	8.9	70	8.0	71	-1.2	68	0.8	65	10.0	68	2.5	72	7.0%	35	-2.2	36	-1.6	33	123.7	47	
131	W173	W189	24	20	22	17	7	6	2	3	23-Aug	1	0.4	62	0.9	41	5.1	66	7.9	68	6.8	70	-0.2	66	0.7	64	-2.7	68	2.6	71	9.3%	34	0.3	36	-1.6	31	123.6	45	
132	W166	W025	21	19	26	25		6	2	3	15-Aug	2	0.6	53	-0.2	40	6.3	57	9.9	57	9.1	57	-0.8	54	0.1	53	2.6	52	2.3	54	8.3%	32					123.2	40	
133	W383	W025	24	19	26	22		6	2	3	5-Aug	2	0.5	59	-0.1	43	6.1	68	10.0	68	9.5	69	-1.1	64	-0.2	61	5.1	65	2.5	69	13.1%	32	-2.0	36	-2.9	31	126.4	44	

MANAGEMENT OF YOUR NEW RAMS

The rams presented have been grown out on spring pasture to be in prime working condition. Each ram has recently been drenched and vaccinated. Future management, especially in the next year will influence their productive life in your breeding program.

We wish you every success with your purchase and suggest that you:

- Place new rams in a secure paddock away from older rams and unjoined females until mating. If absolutely necessary to introduce new rams to other rams before mating, try to lessen the risk of injury by confining the group in a small pen, eg. catching pen. Leave for 12-24 hours until more settled before releasing.
- Be aware that Ovine Brucellosis is the most common cause of ram infertility in Australia and can be transmitted to your rams from any sexually active males as well as recently joined females (for up to six weeks after mating).
- Injuries can lead to infection and require prompt treatment with antibiotics (especially lameness).
- In the interval before mating feed your rams well, remembering semen is manufactured six weeks prior to use. If you are able to supplement your rams' diet with lupins it will improve semen quality.
- Your rams will perform better if they have a short fleece during the mating season.
- Don't overwork rams in their first season. Preferably put them with older or mixed age ewes.
- After use treat them well, they are your investment for future years. Give regular drenches, 6 in 1 vaccinations, adequate nutrition and regular physical examinations to help ensure a long productive life.

We guarantee that our rams will successfully complete their first breeding season so if you feel a ram has failed to do this please contact us to discuss the matter as soon as possible. (*conditions apply*)

If you would like any further advice, please feel free to contact us at any time on 08 8764 2065.